

Fertilgold[®] XT

INSTRUCTIONS

- Designed for both soil and foliar application.
- After adding FERTILGOLD[®] XT to solutions, allow 24 - 48 hours for Micro Carbon complexing to occur.
- Best results will be obtained when application is concentrated in the active root zone or on the leaf surface.
- Use caution when adding to high analysis/multi-nutrient solutions, highly acidic or basic solutions, or unstable suspensions.
- Can be applied in combination with compatible plant growth regulators, pesticides, or other liquid fertilizers. If compatibility is in question, jar test a small quantity.
- Application timing, intervals, and rates may vary according to individual crop requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the crop.
- Consult your local FERTILGOLD[®] Representative or other agricultural specialist for crop-specific recommendations.

This product is intended as a supplement to a complete fertilizer program and will not, by itself, provide all of the nutrients normally required by agricultural crops.

STORAGE AND DISPOSAL

Keep product in original container. Do not transfer into food or drink containers. Triple rinse when empty for recycling. Always dispose of container in accordance with local, state, and/or federal regulations. Do not store this product below 50°F (10°C) or above 90°F (30°C).

SAFETY

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

A dark brown liquid having a characteristic odor. Ingestion of this product may cause gastrointestinal irritation, with cardiovascular and central nervous system effects.

*CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED
SIGNAL WORD: WARNING
HAZARD STATEMENT: H303 - WARNING – May be harmful if swallowed.
PRECAUTIONARY STATEMENT: P312 Call a poison center/doctor/physician if you feel unwell.*

CONDITIONS OF SALE

The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions, and other factors are beyond the control of the seller.

2.5 gallons • Net Wt. 24.83 lb
9.46 liters • Net Wt. 11.26 kg
Lot No. 12345678

4-0-0
GUARANTEED ANALYSIS
Total Nitrogen (N) 4.00%

Derived from: Soy Protein Hydrolysate

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:
29.0% Organic Matter

SHAKE WELL BEFORE USE.

Applications can be made as often as every 7 to 10 days as needed.

APPLICATION

METHOD	SUGGESTED RATE PER ACRE Field Crops / Tree or Vine Crops
Foliar band application at 50% coverage	Up to 1 quarts / ---
Foliar broadcast or Sprinklers: solid set, linear, pivot (100% speed)	Up to 2 quarts / up to 1 gallon
Soil banded or injected, through drip tape or microsprinklers	Up to 2 quarts / up to 1 gallon
Soil broadcast spray incorporated, flood, or furrow irrigated	Up to 1 gallon / up to 2 gallons
Mixed in liquid fertilizer solution (soil applied)	Up to 1 quart per 40 gallons of liquid

pH: 4.5 - 5.5

9.93 lb/gal @ 68°F
1.19 kg/L @ 20°C

© 2017–2020 *Registered Trademarks of and Produced by: Bio Huma Netics, Inc.
1331 W. Houston Ave., Gilbert, AZ 85233
480.961.1220
FGO-817-07212020

Fertilgold.com

