Rev D 9/14/2020



0

2

0

## SAFETY DATA SHEET Fertilgold® Mn

HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	Α

RODUCT IDENTIFI	ER: Fertil	gold® Mn		Product#	<b># 895</b>		
GENERAL USE:	Used a	as a part of a plant nutrition proc	gram.				
PRODUCT DESCRIPT	ION: A sligh	ntly hazy amber liquid having no	characteris	tic odor.			
SUPPLIER INFORMATIO		Huma Netics, Inc. 1 W Houston Avenue		EN	IERGE		UMBERS
For Additional S	Gilb	ert, AZ 85233 DNE: (480) 961-1220		CHEM	TREC:	(In the USA) (International)	
		SECTION 2: HAZAR	DS IDENT	IFICATION			
HAZARDS OVERVIEW:	irritation to concentrati	azy amber moderately acidic lic the eyes, skin and respiratory tr ons. <b>The NIOSH I.D.L.H. for M</b>	act. This pr langanese	oduct may be to compounds is:	xic by ing 500 mg	gestion or inhalat /m³ (as Mn).	
		CATION: HAZARD CATEGORY	5 - MAY B	E HARMFUL IF	SVVALL	JWED	
	SIGNAL W	ORD: WARNING STATEMENT: H303 - WARNING IONARY STATEMENT: P312; (	-			ı if you feel unwe	11
	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S	STATEMENT: H303 - WARNING	Call a poiso Y 3 - MILD S G - causes i	n center/doctor/p SKIN IRRITATIC mild skin irritatior	ohysiciar NN		
	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S PRECAUT	CATION: HAZARD CATEGOR CATION: HAZARD CATEGOR CORD: WARNING CATEMENT: H316 - WARNING	Call a poiso Y 3 - MILD S G - causes i P313; If skir	n center/doctor/p SKIN IRRITATIC mild skin irritation n irritation occurs	ohysiciar NN n :: Get me	edical attention/ad	
	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S PRECAUT	STATEMENT: H303 - WARNING IONARY STATEMENT: P312; ( CATION: HAZARD CATEGOR ORD: WARNING STATEMENT: H316 - WARNING IONARY STATEMENT: P332+F	Call a poiso Y 3 - MILD S G - causes I P313; If skir NFORMAT	n center/doctor/p SKIN IRRITATIC mild skin irritatior n irritation occurs TION ON INGR	ohysiciar on :: Get me EDIENT GIH	edical attention/ad	dvice. OSHA
<u>COMPONENT</u>	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S PRECAUT SECT CAS #	CATION: HAZARD CATEGOR ORD: HAZARD CATEGOR ORD: WARNING STATEMENT: H316 - WARNING NONARY STATEMENT: P332+H ION 3: COMPOSITION & IN OSHA HAZARD	Call a poiso Y 3 - MILD S G - causes r P313; If skir NFORMAT <u>WT %</u>	n center/doctor/p SKIN IRRITATIC mild skin irritation n irritation occurs <b>TION ON INGR</b> ACC TLV <sub>(TWA)</sub>	ohysiciar N :: Get me EDIENT GIH STEL	edical attention/ad	dvice. OSHA 5 STEL
<u>COMPONENT</u> Manganese Sulfate Monohydrate	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S PRECAUT	STATEMENT: H303 - WARNING IONARY STATEMENT: P312; ( CATION: HAZARD CATEGOR ORD: WARNING STATEMENT: H316 - WARNING IONARY STATEMENT: P332+F	Call a poiso Y 3 - MILD S G - causes I P313; If skir NFORMAT	n center/doctor/p SKIN IRRITATIC mild skin irritatior n irritation occurs TION ON INGR	ohysiciar on :: Get me EDIENT GIH	edical attention/ad	dvice. OSHA 5 STEL None
Manganese Sulfate	SIGNAL W HAZARD S PRECAUT CLASSIFIC SIGNAL W HAZARD S PRECAUT SECT CAS #	STATEMENT: H303 - WARNING IONARY STATEMENT: P312; ( CATION: HAZARD CATEGOR) ORD: WARNING STATEMENT: H316 - WARNING IONARY STATEMENT: P332+F ION 3: COMPOSITION & IN OSHA HAZARD Eye, Skin & Respiratory Irritant; Central Nervous System toxin;	Call a poiso Y 3 - MILD S G - causes r P313; If skir NFORMAT <u>WT %</u>	n center/doctor/p SKIN IRRITATIC mild skin irritation n irritation occurs <b>TION ON INGR</b> <b>AC</b> <b>TLV</b> (TWA) 0.2 mg/m <sup>3</sup> Proposed: 0.02 mg/m <sup>3</sup> Respirable	ohysiciar N :: Get me EDIENT GIH STEL	edical attention/ad TS PEL <sub>(TWA)</sub> None Ceiling	dvice. OSHA 5 STEL None

		SECTION 4: FIRST AID MEASURES
INHALATION:		nove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If e oxygen. Call a physician.
EYE CONTACT:		ediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper ally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT:		skin with plenty of clean running water. Remove contaminated clothing and shoes and wash noccurs and persists, get medical attention.
INGESTION:		al attention immediately. DO NOT induce vomiting unless directed to do so by medical anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	ingested, consideration possible central nervous	formation, this product may be slightly to moderately toxic by ingestion. If a large amount is should be given to careful endoscopy as stomach or esophageal irritation may occur, with s system effects following absorption into the blood stream. Careful gastric lavage with an ce should be considered. Treat exposure symptomatically.
	S	SECTION 5: FIRE FIGHTING MEASURES
Flashpoint and	Method: This product	does not flash.
Flammable Lim	iits (in air, % by volume)	Lower: Not applicable Upper: Not applicable
Autoignition Te	emperature: Not application	able
GENERAL HAZAR	Uniform Fire Code h	queous solution of inorganic and organic salts that are in a moderately acidic solution. The ealth hazard classification for this product is: <b>Irritant.</b> This product may produce hazardous lecomposition products.
FIRE FIGHTING IN	STRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO <sub>2</sub> or dry chemicals.
		Use a water spray or fog to cool the containers exposed to the heat of a fire.
FIRE FIGHTING EC	QUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.
HAZARDOUS CON	IBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, carbon monoxide, carbon dioxide, manganese oxide, nitrogen oxides and sulfur oxides with trace or ultra-trace toxic oxide amounts of phosphorus, potassium, iron, magnesium, zinc, calcium and sodium.
	SEC	TION 6: ACCIDENTAL RELEASE MEASURES
RELEASE TO LAND:	a vacuum truck, or absord disposal, or satellite accur or other agent appropriate	rotective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or the liquid in sand or a commercial absorbent. Place in approved containers for recovery, nulation. Neutralize the acidity, of the remaining liquid, using sodium bicarbonate, limestone, for neutralizing acidic liquids, that will not release Ammonia gas. Flush the spill area with for disposal or sewer, as appropriate.
RELEASE TO WATER:		ective equipment and clothing if contact with hazardous material can occur. Stop or divert nated water and remove for disposal and/or treatment. As appropriate, notify all downstream nation.
		SECTION 7: HANDLING AND STORAGE
STORAGE TEMPE		STORAGE PRESSURE: Ambient
on mi	skin or on clothing. Wear sts, vapors, fumes or aeroso	ated area away from incompatible materials and products. Avoid getting this product in eyes, recommended personnel protective equipment when handling this product. Do not breathe ols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed ighly after handling this product.

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation.

#### RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

- **RESPIRATOR:** For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.
- EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note: Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.
- **GLOVES:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.
- **CLOTHING & EQUIPMENT:** Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.
- **FOOTWEAR:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

	SECTION 9: PHYSICAL	AND CHEMICAL PROPERTIES	
Appearance:	Slightly hazy, Amber	Bulk Density (pounds/ft <sup>3</sup> ):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	No characteristic	Vapor Density (air=1):	No data available
Odor Threshold:	Not determined	Evaporation Rate (n-Butyl Acetate=1):	No data available
Molecular Formula:	Mixture	VOC Content / Organic Matter:	No data available / 2.0%
Molecular Weight:	Not applicable	% Volatile:	Not Volatile
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H <sub>2</sub> O:	Complete
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.16 – 1.26 @ 20° C.	pH (as is):	1.5 - 2.5
Density (pounds/gallon):	Approximately 9.71	pH (1% solution):	No data available
	SECTION 10: ST	ABILITY AND REACTIVITY	
GENERAL: This pro	duct is stable and hazardous polymeriza	tion will not occur.	
CONDITIONS TO AVOID	D: Do not store this product below	w 50° F (10° C) or above 90° F (30° C	2)
INCOMPATIBLE MATER	RIAL: Contact with caustics & alkali,	sulfides, sulfites, cyanides and chlori	ne releasers.

HAZARDOUS DECOMPOSITION PRODUCTS:

of carbon, manganese, nitrogen and sulfur with trace or ultra-trace toxic oxide amounts of phosphorus, potassium, iron, magnesium, zinc, calcium and sodium.

When heated to dryness and decomposition, it emits toxic Ammonia gas, toxic oxides

SENSITIVITY TO MECHANICAL IMPACT: SENSITIVITY TO STATIC DISCHARGE:

This product is <u>not</u> sensitive to mechanical impact.

This product is <u>not</u> sensitive to static discharge.

	SECTION 11: TOXICOLOGICAL I	
Components:	Manganese Sulfate	Citric Acid Anhydrous
Eye Contact:	No data available	Rabbit: 750 ug/24 Hours; Severe
Skin Contact:	No data available	Rabbit: 500 mg/24 Hours; Moderate
Oral Rat LD₅₀:	2,150 mg/kg	3 gm/kg
Dermal Rabbit LD₅₀:	No data available	No data available
Inhalation Rat LC <sub>50</sub> :	No data available	No data available
Human Data:	No data available	No data available
Other Toxicological Data:	Oral Mouse LD <sub>50</sub> : 2,330 mg/kg	Intravenous Mouse LD <sub>50</sub> : 42 mg/kg
Carcinogenicity:	Intraperitoneal Mouse TD <sub>Lo</sub> : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria	No data available
Teratogenicity:	Intraperitoneal Mouse TD <sub>Lo</sub> : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality	No data available
Mutagenicity:	Bacteria B Subtilis DNA Repair: 50 mmol/ Liter	No data available
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Mucous membranes, Lungs & Teeth
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders	Skin or Respiratory disorders

#### **ENVIRONMENTAL FATE:**

This product is soluble in water and may slightly affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

#### SECTION 13: DISPOSAL CONSIDERATIONS

SECTION 12: ECOLOGICAL INFORMATION

#### RCRA 40 CFR 261 CLASSIFICATON:

Non-RCRA Hazardous Waste

Not Applicable

U.S. EPA WASTE NUMBER/DESCRIPTION:

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

#### **SECTION 14: TRANSPORTATION INFORMATION**

DOT PROPER SHIPPING NAME:	Not DOT Regulated Hazard Class: N/A Primary Label: None	UN Number: N/A Subsidiary Label(s): None	Packing Group: N/A
	Primary/Subsidiary Placards:	None	
DOT Reportable Quantity (RQ):	Not listed	<b>RQ for Product:</b> Not applicable	
Marine Pollutant:	No		
2012 North American Emergency Re	sponse Guidebook No.: N/A		
TDG PROPER SHIPPING NAME:	NOT RESTRICTED		
	Hazard Class: N/A	UN Number: None	Packing Group: N/A
	Primary Label: None	Subsidiary Label(s): No	one
	Primary/Subsidiary Placards:	None	
TDG Reportable Quantity (RQ): *	Not applicable		
TDG Schedule XII:	Not listed		
Regulated Limit (RL): **	Not listed	RL for Product: N/A	
Other Shipping Information:	None		

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

### SECTION 15: REGULATORY INFORMATION

COMPONENTS: OSHA Target Organs:	Manganese Sulfate	Citric Acid Anhydrous
OSHA Target Organs:		<u></u>
¥	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Mucous membranes, Lungs & Teeth
Carcinogenic Potential:		
Regulated by OSHA:	Νο	No
Listed on NTP Report:	No	No
Listed by IARC:	No	No
IARC Group:	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable
U.S. EPA Requirements		
Release Reporting		
CERCLA (40 CFR 302)		
Listed Substance:	Yes (Manganese	Not listed
	Compounds)	
Reportable Quantity:	1 pound	Not applicable
Category:	Not listed	Not applicable
RCRA Waste No.:	Not listed	Not applicable
Unlisted Substance:	Not applicable	Yes
Reportable Quantity:	Not applicable	100 pounds
Characteristic:		Corrosivity
RCRA Waste No.:	Not applicable	D002
RCRA Waste No	Not applicable	0002
SARA TITLE III		
Section 302 & 303 (40 CFR 355):		
Listed Substance:	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable
Section 311 & 312 (40 CFR 370):		
Hazard Categories ( <b>product</b> ):	Fire: N Sudden Release of	Pressure: N Reactive: N Acute Health: Y Chronic Health: N
Planning threshold:	10,000 pounds	10,000 pounds
-		Street Elements
Section 313 (40 CFR 372):	· · · ·	
Listed Toxic Chemical:	Yes (Manganese Category)	Not listed
Reporting Threshold:	10,000 pounds	Not applicable
U.S. TSCA Status		
Listed (40 CFR 710):	Yes	Yes
State Regulations		
State of California: Safe Drinking	Water and Toxins Enforcement A	Act, 1986 (Proposition 65):
Carcinogen:	No	No
Reproductive Toxin:	No	No
Other Regulations		
State Right To Know Laws:	None known	MA, NJ, PA
Canadian Regulations		
Product Information:		
Controlled Product:	Yes	
	Material Causing Other Toxic Ef	fects
WHIVES Hazard Sympole.		
WHMIS Hazard Symbols: WHMIS Class & Division:	D.2B	
-	D.2B	
WHMIS Class & Division:	D.2B Yes	Yes

#### **SECTION 16: OTHER INFORMATION**

EPA Registration number: Not applicable

Approved Product Uses: Used as a part of a plant nutrition program.

#### Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Special Instructions:**

When making dilutions, always add Fertilgold® Mn to water, or aqueous solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers, or chlorinated cleaners as this can liberate toxic, corrosive Chlorine gas.

#### SDS Revision Information: Revision Date: 9/14/2020

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Frank S. Pidgeon, Sr. EHSS Director Date Prepared: August 8 <sup>th</sup> , 2018
---

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.