

LIQUID FA 6

INSTRUCTIONS

- FERTILGOLD® LIQUID FA 6 should be applied when tissue and soil analysis identifies the need and proper rate of application for this product.
- Adds naturally occurring materials containing Fulvic acids to soil that may enhance plant micronutrient availability and uptake.
- Best results will be obtained when application is concentrated in the active root zone or when applied directly to the soil followed by a shallow cultivation.
- Can be applied alone or with liquid fertilizers with a pH of 7.0 or higher. If compatibility is in question, jar test a small quantity.
- FERTILGOLD® LIQUID FA 6 can be applied to all crops including fruits, vegetables, trees, vines, flowers, ornamentals, turf, grains, and other row crops.
- Avoid spreading on live crops, during high temperatures, or in times of drought.
- Application timing, intervals, and rates may vary according to individual crop requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the crop.
- Soil moisture is required for maximum bioactivity. If soil is dry, moisture should be provided by irrigation.
- Consult your local FERTILGOLD® Representative or other agricultural specialist for crop-specific recommendations.

This product is intended as a supplement to a complete fertilizer program and will not, by itself, provide the nutrients normally required by agricultural crops.

STORAGE AND DISPOSAL

Keep product in original bag. Do not transfer into food or drink containers. Always dispose of bag in accordance with local, state, and/or federal regulations.



GUARANTEED ANALYSIS

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

Total Fulvic Acid (FA) 6.0%

(Determined using V&B Method)

SHAKE WELL BEFORE USE.

Do not apply this product foliarly in concentrations greater than 10%.

Applications can be made as often as every 15 to 30 days as needed.

APPLICATION

METHOD	SUGGESTED RATE	
	Field Crops	Tree or Vine Crops
Foliar band application at 50% coverage	Up to 1 quart/ac Up to 2.5 liters/ha	—
Foliar broadcast or Sprinklers: solid set, linear, pivot (100% speed)	Up to 2 quarts/ac Up to 5 liters/ha	Up to 1 gallon/ac Up to 10 liters/ha
Soil banded or injected, through drip tape or microsprinklers	Up to 2 quarts/ac Up to 5 liters/ha	Up to 1 gallon/ac Up to 10 liters/ha
Soil broadcast spray incorporated, flood, or furrow irrigated	Up to 1 gallon/ac Up to 10 liters/ha	Up to 2 gallons/ac Up to 20 liters/ha
Mixed in liquid fertilizer solution (soil applied)	Up to 1 quart/40 gallons of liquid Up to 1 liter/160 liters of liquid	

pH: 4.0 - 5.0

10.96 lb/gal @ 68°F
1.31 kg/L @ 20°C

LIQUID FA 6

SAFETY

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

A slightly hazy brown liquid having a characteristic odor. The liquid and mists are corrosive to all tissues contacted. Inhalation of mist can cause permanent lung damage. Moderately toxic by ingestion. This product may react vigorously with acids and other substances.

CONDITIONS OF SALE

The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions, and other factors are beyond the control of the seller.



2.5 gallons • Net Wt. 27.40 lb
9.46 liters • Net Wt. 12.39 kg

© 2017–2022 *Registered Trademarks of and Produced and Guaranteed by: Bio Huma Netics, Inc. 1331 W. Houston Ave., Gilbert, AZ 85233 480.961.1220 FGO-000-12072022

LIQUID FA 6

FERTILGOLD.COM